

Remicade and biosimilars

Prior Authorization Request

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720. If you have questions regarding the prior authorization, please contact CVS Caremark at 1-888-877-0518. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do not call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name:		Date:			
Pat	tient's ID:	Patient's Date of Birth:			
Ph	ysician's Name:				
Specialty:		NPI#:			
Ph	ysician Office Telephone:	Physician Office Fax:			
Re	ferring Provider Info: 🛭 Same as Requesting Provider				
	me:	NPI#:			
	x:	Phone:			
	ndering Provider Info: 🛭 Same as Referring Provider 🕻				
Na	me:	NPI#:			
Fax	x:	Phone:			
	Approvals may be subject to dosing limits in accepted compendia, and/or evide				
Re	quired Demographic Information:				
	Patient Weight:kg				
	Patient Height:cm				
	e of Service Questions:				
A.	Where will this drug be administered?				
	☐ Ambulatory surgical, <i>skip to Clinical Questions</i>	☐ Home infusion, <i>skip to Clinical Questions</i>			
	☐ Off-campus Outpatient Hospital	☐ On-campus Outpatient Hospital			
	☐ Physician office, <i>skip to Clinical Questions</i>	☐ Pharmacy, skip to Clinical Questions			
B.	Is the patient less than 21 years of age or 65 years of age	or older?			
	☐ Yes skip to Clinical Criteria Questions				
	□ No				
C.	Is this request to continue previously established treatmer	nt with the requested medication?			
С.	☐ Yes — This is a continuation of an existing treatment				
	☐ Yes – This is a continuation of an existing treatment ☐ Yes – This is a continuation request, however a gap in therapy of greater than 2 doses has occurred. Skip to				
	Clinical Criteria Questions				
	□ No – This is a new therapy request (patient has not received requested medication in the last 6 months). <i>Skip to</i>				
	Clinical Criteria Questions				
	□ No – This is a request for a different brand infliximab product that the patient has not received previously. <i>Skip</i>				
	to Clinical Criteria Questions				

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. SOC Remicade and biosimilars SGM – 07/2021

CVS Caremark Specialty Pharmacy

• 2211 Sanders Road NBT-6

• Northbrook, IL 60062

D.	Has the patient experienced an adverse event with the requested product that has not responded to conventional interventions (eg acetaminophen, steroids, diphenhydramine, fluids, other pre- medications or slowing of infusion rate) or a severe adverse event (anaphylaxis, anaphylactoid reactions, myocardial infarction, thromboembolism, or seizures) during or immediately after an infusion? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> \square Yes, <i>skip to Clinical Criteria Questions</i> \square No				
E.	Does the patient have laboratory confirmed antibodies to infliximab? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> \square Yes, skip to Clinical Criteria Questions \square No				
F.	Is the patient medically unstable which may include respiratory, cardiovascular, or renal conditions that may limit the member's ability to tolerate a large volume or load or predispose the member to a severe adverse event that cannot be managed in an alternate setting without appropriate medical personnel and equipment? **ACTION REQUIRED: If Yes, please attach supporting clinical documentation.** Description: Yes, skip to Clinical Criteria Questions No				
G.	Does the patient have severe venous access issues that require the use of a special interventions only available in the outpatient hospital setting? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation</i> . □ Yes, skip to Clinical Criteria Questions □ No				
H.	Does the patient have significant behavioral issues and/or physical or cognitive impairment that would impact the safety of the infusion therapy AND the patient does not have access to a caregiver? **ACTION REQUIRED: If Yes, please attach supporting clinical documentation. □ Yes □ No				
Cri	teria Questions:				
1.	What is the prescribed drug? □ Remicade □ Avsola □ Inflectra □ Renflexis				
2.	What is the prescribed dose and frequency? a) Loading dose: □ Remicade 100 mg				
	b) Maintenance dose: ☐ Remicade 100 mg				
	c) Dosing (other): <i>Indicate all that apply</i> . ☐ This is a request for a change in dosing regimen. ☐ The requested quantity is supported by dosing guidelines found in the compendia or current literature (e.g., Micromedex DrugDex, NCCN compendia, current treatment guidelines. ☐ The patient requires a dose above 5 mg per kg due to loss of response at current dose. ☐ The patient requires a dose above 3 mg per kg due to an incomplete response at current dose.				
3.	Has the patient been diagnosed with any of the following? List continues on next page. Moderately to severely active Crohn's disease (CD) Moderately to severely active ulcerative colitis (UC) Moderately to severely active rheumatoid arthritis (RA) Active ankylosing spondylitis (AS) Active axial spondyloarthritis Active psoriatic arthritis WITHOUT co-existent plaque psoriasis (PsA) Active psoriatic arthritis with co-existent plaque psoriasis (PsA) Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720				

	 □ Moderate to severe plaque psoriasis □ Juvenile idiopathic arthritis □ Behcet's disease □ Granulomatosis with polyangiitis (Wegener's granulomatosis) □ Severe, refractory hidradenitis suppurativa □ Pyoderma gangrenosum □ Sarcoidosis □ Refractory Takayasu's arteritis □ Uveitis □ Reactive arthritis □ Immune checkpoint inhibitor (e.g., CTLA-4, PD-L1 inhibitor) toxicity □ Acute graft versus host disease 					
4	Other					
4. -	What is the ICD-10 code?					
5.	What is the patient's weight?_kg or lbs (circle one)					
6.	Is the patient currently receiving Remicade or a biosimilar? \(\sigma\) Yes \(\sigma\) No					
<u>Sec</u> 7.	will the requested drug be used in combination with any other biologic (e.g., Humira) or targeted synthetic disease-modifying anti-rheumatic drug (DMARD) (e.g., Olumiant, Otezla, Xeljanz)? Yes No					
8.	Has the patient ever received (including current utilizers) a biologic (e.g., Humira) or targeted synthetic DMARD (e.g., Olumiant, Xeljanz) associated with an increased risk of tuberculosis (TB)? If Yes, skip to #10 □ Yes □ No					
9.	Has the patient had a tuberculosis (TB) test (e.g., tuberculosis skin test [PPD], interferon-release assay [IGRA], chest x-ray) within 6 months of initiating therapy? If Yes, skip to #12 \square Yes \square No					
10.	Does the patient have risk factors for tuberculosis (TB) (e.g., persons with close contact to people with infectious TB disease; persons who have recently immigrated from areas of the world with high rates of TB [e.g., Africa, Asia, Eastern Europe, Latin America, Russia]; children less than 5 years of age who have a positive TB test; groups with high rates of TB transmission [e.g., homeless persons, injection drug users, persons with HIV infection], or persons who work or reside with people who are at an increased risk for active TB [e.g., hospitals, long-term care facilities, correctional facilities, homeless shelters])? \square Yes \square No If No, skip to #15					
11.	Has the patient been tested for tuberculosis (TB) within the previous 12 months? □ Yes □ No					
12.	What were the results of the tuberculosis (TB) test? ☐ Positive for TB ☐ Negative for TB, skip to #15 ☐ Unknown					
13.	Does the patient have latent or active tuberculosis (TB)?					
14.	Has treatment for latent tuberculosis (TB) infection been initiated or completed? ☐ Yes-treatment initiated ☐ Yes-treatment completed ☐ No					
15.	Is this request for continuation of therapy with the requested drug or a biosimilar? \square Yes \square No If No, skip to #18					
16.	Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program? If Yes or Unknown, skip to #18 ☐ Yes ☐ No ☐ Unknown					

17.	Has the patient achieved or maintained positive clinical response as evidenced by low disease activity or improvement in signs and symptoms of the condition since starting treatment with the requested drug? \[\to \text{Yes} \text{No} \]
18.	Has the patient ever received (including current utilizers) any of the following? <i>ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried.</i> ☐ A biologic (e.g., Humira, Cimzia, Enbrel) indicated for the diagnosis, <i>indicate biologic:</i> ☐ Targeted synthetic disease modifying drug (e.g., Rinvoq, Xeljanz) indicated for the diagnosis ☐ Otezla ☐ No-None of the above
Cor	nplete the following section based on the patient's diagnosis, if applicable.
	tion B: Crohn's Disease Has the patient achieved or maintained remission? ACTION REQUIRED: If 'Yes', please attach chart notes o medical record documentation of remission and no further questions. Yes No
	Which of the following has the patient experienced an improvement in from baseline? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response to therapy and no further questions. Abdominal pain or tenderness Diarrhea Body weight Abdominal mass Hematocrit Endoscopic appearance of the mucosa Improvement on a disease activity scoring tool (e.g., Crohn's Disease Activity Index [CDAI] score) None of the above
	iation Does the patient have fistulizing disease? ACTION REQUIRED: If Yes, please attach chart notes or medical record documentation supporting diagnosis. and no further questions. Yes No
22.	Has the patient tried and had an inadequate response to at least one conventional therapy option? **ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy and no further questions. Yes - Sulfasalazine (Azulfidine, Sulfazine) Yes - Budesonide (Entocort EC) Yes - Mercaptopurine (Purinethol) Yes - Azathioprine (Azasan, Imuran) Yes - Metronidazole (Flagyl) Yes - Methotrexate IM or SC Yes - Ciprofloxacin (Cipro) Yes - Methylprednisolone (Solu-Medrol) Yes - Prednisone Yes - Rifaximin (Xifaxan) Yes - Tacrolimus No
23.	Does the patient have a contraindication or intolerance to at least one conventional therapy option (e.g., azathioprine [Azasan, Imuran], budesonide [Entocort EC], ciprofloxacin [Cipro], mercaptopurine [Purinethol], methylprednisolone [Solu-Medrol], methotrexate IM or SC, metronidazole [Flagyl], prednisone, sulfasalazine [Azulfidine, Sulfazine], rifaximin [Xifaxan], tacrolimus)? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. If therapy is not advisable, please attach documentation of clinical reason to avoid therapy. \square Yes \square No
	tion C: Ulcerative Colitis

25. Which of the following has the patient experienced an improvement in from baseline? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response to therapy and no further questions. Stool frequency Rectal bleeding Urgency of defecation C-reactive protein (CRP) Feed a elaptrotectin (FC) Endoscopic appearance of the mucosa Improvement on a disease activity scoring tool (e.g., Ulcerative Colitis Endoscopic Index of Severity [UCEIS], Mayo Score] None of the above Initiation None of the above None of the above None of the above Initiation None of the above None of the None of the Above None of the N	24.	Has the patient achieved or maintained remission? <i>ACTION REQUIRED: If 'Yes'</i> , please attach chart notes or medical record documentation of remission and no further questions. □ Yes □ No
26. Has the patient been hospitalized for fulminant ulcerative colitis (e.g., continuous bleeding, severe toxic symptoms, including fever and anorexia)? ACTION REQUIRED: If 'Yes', please attach chart notes or medical record documentation of hospitalization and no further questions.	25.	REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response to therapy and no further questions. □ Stool frequency □ Rectal bleeding □ Urgency of defecation □ C-reactive protein (CRP) □ Fecal calprotectin (FC) □ Endoscopic appearance of the mucosa □ Improvement on a disease activity scoring tool (e.g., Ulcerative Colitis Endoscopic Index of Severity [UCEIS], Mayo Score])
ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy and no further questions. Yes - Azathioprine (Azasan, Imuran) Yes - Corticosteroid (e.g., budesonide [Entocort, Uceris], hydrocortisone [Cortifoam, Colocort, Solu-Cortef, Cortef], methylprednisolone [Medrol, Solu-Medrol], prednisone) Yes - Cyclosporine (Sandimmune) Yes - Messalamine (e.g., Apriso, Asacol, Lialda, Pentasa, Canasa, Rowasa), balsalazide, or olsalazine Yes - Mercaptopurine (Purinethol) Yes - Sulfasalazine Yes - Tacrolimus (Prograf) Yes - Metronidazole (Flagyl) or ciprofloxacin (Cipro) (for pouchitis only) No Section Entanglement have a contraindication or intolerance to at least one conventional therapy option (e.g., azathioprine [Azasan, Imuran], corticosteroid [e.g., budesonide, [Entocort, Uceris], hydrocortisone, methylprednisolone, prednisone], cyclosporine [Sandimmune], mesalamine [Asacol, Lialda, Pentasa, Canasa, Rowasa], balsalazide, olsalazine, mercaptopurine [Purinethol], sulfasalazine, tacrolimus [Prograf], metronidazole/ciprofloxacin [for pouchitis only])? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including clinical reason to avoid therapy. Yes No Section D: Rheumatoid Arthritis and Reactive Arthritis Continuation 9. If diagnosis is reactive arthritis, has the patient achieved or maintained positive clinical response as evidence by low disease activity or improvement in signs and symptoms of the condition (e.g., tender joint count, swollen joint count, or pain)? ACTION REQUIRED: If 'Yes', please attach chart notes or medical record		Has the patient been hospitalized for fulminant ulcerative colitis (e.g., continuous bleeding, severe toxic symptoms, including fever and anorexia)? <i>ACTION REQUIRED: If 'Yes', please attach chart notes</i>
azathioprine [Azasan, Imuran], corticosteroid [e.g., budesonide, [Entocort, Uceris], hydrocortisone, methylprednisolone, prednisone], cyclosporine [Sandimmune], mesalamine [Asacol, Lialda, Pentasa, Canasa, Rowasa], balsalazide, olsalazine, mercaptopurine [Purinethol], sulfasalazine, tacrolimus [Prograf], metronidazole/ciprofloxacin [for pouchitis only])? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including clinical reason to avoid therapy. Yes No Section D: Rheumatoid Arthritis and Reactive Arthritis Continuation 29. If the diagnosis is rheumatoid arthritis, has the patient achieved or maintained positive clinical response since starting treatment with the requested drug? Yes No 30. If diagnosis is reactive arthritis, has the patient achieved or maintained positive clinical response as evidence by low disease activity or improvement in signs and symptoms of the condition (e.g., tender joint count, swollen joint count, or pain)? ACTION REQUIRED: If 'Yes', please attach chart notes or medical record	27.	ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy and no further questions. Yes - Azathioprine (Azasan, Imuran) Yes - Corticosteroid (e.g., budesonide [Entocort, Uceris], hydrocortisone [Cortifoam, Colocort, Solu-Cortef, Cortef], methylprednisolone [Medrol, Solu-Medrol], prednisone) Yes - Cyclosporine (Sandimmune) Yes - Mesalamine (e.g., Apriso, Asacol, Lialda, Pentasa, Canasa, Rowasa), balsalazide, or olsalazine Yes - Mercaptopurine (Purinethol) Yes - Sulfasalazine Yes - Tacrolimus (Prograf) Yes - Metronidazole (Flagyl) or ciprofloxacin (Cipro) (for pouchitis only)
 Continuation 29. If the diagnosis is rheumatoid arthritis, has the patient achieved or maintained positive clinical response since starting treatment with the requested drug? ☐ Yes ☐ No 30. If diagnosis is reactive arthritis, has the patient achieved or maintained positive clinical response as evidence by low disease activity or improvement in signs and symptoms of the condition (e.g., tender joint count, swollen joint count, or pain)? ACTION REQUIRED: If 'Yes', please attach chart notes or medical record 	28.	azathioprine [Azasan, Imuran], corticosteroid [e.g., budesonide, [Entocort, Uceris], hydrocortisone, methylprednisolone, prednisone], cyclosporine [Sandimmune], mesalamine [Asacol, Lialda, Pentasa, Canasa, Rowasa], balsalazide, olsalazine, mercaptopurine [Purinethol], sulfasalazine, tacrolimus [Prograf], metronidazole/ciprofloxacin [for pouchitis only])? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including
 29. If the diagnosis is rheumatoid arthritis, has the patient achieved or maintained positive clinical response since starting treatment with the requested drug? No 30. If diagnosis is reactive arthritis, has the patient achieved or maintained positive clinical response as evidence by low disease activity or improvement in signs and symptoms of the condition (e.g., tender joint count, swollen joint count, or pain)? ACTION REQUIRED: If 'Yes', please attach chart notes or medical record 	Sec	tion D: Rheumatoid Arthritis and Reactive Arthritis
by low disease activity or improvement in signs and symptoms of the condition (e.g., tender joint count, swollen joint count, or pain)? ACTION REQUIRED: If 'Yes', please attach chart notes or medical record		If the diagnosis is rheumatoid arthritis, has the patient achieved or maintained positive clinical response since
	30.	by low disease activity or improvement in signs and symptoms of the condition (e.g., tender joint count, swollen joint count, or pain)? ACTION REQUIRED: If 'Yes', please attach chart notes or medical record

31.	What is the percent of disease activity improvement from baseline in tender joint count, swollen joint count, pain, or disability? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response% No further questions.					
	iation – for diagnosis of Reactive Arthritis, skip to #40 Is the requested medication being prescribed in combination with methotrexate or leflunomide? ☐ Yes ☐ No If No, indicate clinical reason for not using methotrexate or leflunomide:					
33.	Does the patient meet BOTH of the following: a) the patient was tested for the rheumatoid factor (RF) biomarker AND b) the RF biomarker test was positive? ACTION REQUIRED: If 'Yes', please attach laboratory results, chart notes, or medical record documentation of biomarker testing and skip to #40. Yes					
34.	Does the patient meet BOTH of the following: a) the patient was tested for the anti-cyclic citrullinated peptide (anti-CCP) biomarker AND b) the anti-CCP biomarker test was positive? <i>ACTION REQUIRED: If 'Yes'</i> , please attach laboratory results, chart notes, or medical record documentation of biomarker testing and skip to #40. Yes No					
35.	Has the patient been tested for the rheumatoid factor (RF) biomarker? <i>ACTION REQUIRED: If 'Yes', please attach laboratory results, chart notes, or medical record documentation of biomarker testing.</i> \square Yes \square No					
36.	Has the patient been tested for the anti-cyclic citrullinated peptide (anti-CCP) biomarker? <i>ACTION REQUIRED:</i> If 'Yes', please attach laboratory results, chart notes, or medical record documentation of biomarker testing. Yes No					
37.	Has the patient been tested for the C-reactive protein (CRP) and/or erythrocyte sedimentation rate (ESR) biomarker(s)? <i>ACTION REQUIRED: If 'Yes'</i> , please attach laboratory results, chart notes, or medical record documentation of biomarker testing. Yes					
38.	Please indicate if the patient tested positive or negative for the C-reactive protein (CRP) biomarker, or if the test was not completed. Positive for CRP Negative for CRP Test for CRP was not completed					
39.	Please indicate if the patient tested positive or negative for the erythrocyte sedimentation rate (ESR) biomarker, or if the test was not completed. ☐ Positive for ESR ☐ Negative for ESR ☐ Test for ESR was not completed					
40.	Has the patient experienced an inadequate response after at least 3 months of treatment with methotrexate at a dose greater than or equal to 20 mg per week? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. Indicate below and no further questions. \square Yes \square No					
41.	Has the patient experienced an intolerance to methotrexate? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. Indicate below and no further questions \square Yes \square No					
42.	Does the patient have a contraindication to methotrexate? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including clinical reason to avoid therapy. Yes No					

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. SOC Remicade and biosimilars SGM - 07/2021

CVS Caremark Specialty Pharmacy

2211 Sanders Road NBT-6

Northbrook, IL 60062

	tion E: Ankylosing Spondynus or Active Axiai Spondyloartnrius
	Which of the following has the patient experienced an improvement in from baseline? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response to therapy and no further questions. □ Functional status □ Inflammation (e.g., morning stiffness) □ Total spinal pain □ None of the above
	Has the patient experienced an inadequate response with at least TWO nonsteroidal anti-inflammatory drugs (NSAIDs), or has an intolerance or contraindication to at least two NSAIDs? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. If therapy is not advisable, please attach documentation of clinical reason to avoid therapy. \square Yes \square No
Cor	tion F: Psoriatic Arthritis ntinuation Which of the following has the patient experienced an improvement in from baseline? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response. Number of swollen joints Number of tender joints Dactylitis Enthesitis Skin and/or nail involvement None of the above
Cor	tion G: Plaque Psoriasis ntinuation Has the patient experienced a reduction in body surface area (BSA) affected from baseline? ACTION REQUIRED: If 'Yes', please attach chart notes or medical record documentation of decreased body surface area affected. Yes No
47.	Has the patient experienced an improvement in signs and symptoms of the condition from baseline (e.g., itching, redness, flaking, scaling, burning, cracking, pain)? <i>ACTION REQUIRED: If 'Yes', please attach chart notes or medical record documentation of improvement in signs and symptoms.</i> \square Yes \square No
	iation Are crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) affected? ACTION REQUIRED: If 'Yes', please attach chart notes or medical record documentation of affected areas and body surface area affected. Yes No
49.	What is the percentage of body surface area (BSA) affected (prior to starting the requested medication)? ACTION REQUIRED: Please attach chart notes or medical record documentation of affected areas and body surface area affected% If greater than or equal to 10% of BSA, no further questions.
50.	Has the patient experienced an inadequate response, or has an intolerance to phototherapy (e.g., UVB, PUVA) or pharmacologic treatment with methotrexate, cyclosporine or acitretin? <i>ACTION REQUIRED: If 'Yes'</i> , please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. If therapy is not advisable, please attach documentation of clinical reason to avoid therapy. \square Yes \square No
51.	Does the patient have a clinical reason to avoid pharmacologic treatment with methotrexate, cyclosporine and acitretin? <i>ACTION REQUIRED: If 'Yes'</i> , please attach documentation of clinical reason to avoid therapy. Yes No If Yes, indicate the clinical reason:

Cor	tion H: Juvenile Idiopathic Arthritis atinuation Which of the following has the patient experienced an improvement in from baseline? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response. Number of joints with active arthritis (e.g., swelling, pain, limitation of motion) Number of joints with limitation of movement Functional ability None of the above
	Has the patient experienced an inadequate response to ANY of the following? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. Indicate below and no further questions. At least 1 month trial of NSAIDs At least 2 weeks of treatment with corticosteroids (e.g. prednisone, methylprednisolone) At least 3 months of treatment with methotrexate At least 3 months of treatment with leflunomide No – No history of an inadequate response to any of the above
	Has the patient had an inadequate response to at least one nonbiologic medication for Behcet's disease (e.g., apremilast, colchicine, systemic glucocorticoids, azathioprine)? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy \Begin{array}{c} \Pi \text{ Yes} \Bigcirc \Pi \text{ No} \end{array}
Tak	tion J: Granulomatosis with Polyangiitis (Wegener's Granulomatosis), Pyoderma Gangrenosum, Sarcoidosis. and ayasu's Arteritis Has the patient experienced ANY of the following with corticosteroids or immunosuppressive therapy (e.g., cyclophosphamide, azathioprine, methotrexate, mycophenolate mofetil)? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy and documentation of clinical reason to avoid therapy. Indicate ALL that apply. Corticosteroids Inadequate response Intolerance Contraindication Immunosuppressive therapy Inadequate response Intolerance Contraindication If immunosuppressive therapy, specify therapy: None of the above
Cor	tion K: Hidradenitis Suppurativa attinuation Which of the following has the patient experienced since starting treatment with the requested drug? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response. Reduction in abscess and inflammatory nodule count from baseline Reduced formation of new sinus tracts and scarring Decrease in frequency of inflammatory lesions from baseline Reduction in pain from baseline Reduction in suppuration from baseline Improvement in frequency of relapses from baseline Improvement in quality of life from baseline Improvement on a disease severity assessment tool from baseline None of the above

Init	iation
	Has the patient experienced an inadequate response after at least 90 days of treatment with oral antibiotics? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy and no further questions. Yes No
58.	Has the patient experienced an intolerable adverse effect to oral antibiotics? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy and no further questions. Yes No
59.	Does the patient have a contraindication to oral antibiotics? ACTION REQUIRED: If 'Yes', please attach documentation of clinical reason to avoid therapy. \square Yes
Cor	tion L: Uveitis ntinuation Which of the following has the patient experienced since starting treatment with the requested drug? ACTION
	REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response. ☐ Reduced frequency of recurrence compared to baseline ☐ Zero anterior chamber inflammation or reduction in anterior chamber inflammation compared to baseline ☐ Decreased reliance on topical corticosteroids ☐ None of the above
	iation Has the patient experienced ANY of the following with corticosteroids or immunosuppressive therapy (e.g., cyclophosphamide, azathioprine, methotrexate, mycophenolate mofetil)? <i>Indicate ALL that apply</i> .
	ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy, or clinical reason to avoid therapy. □ Corticosteroid □ Inadequate response □ Intolerance □ Contraindication □ Immunosuppressive therapy □ Inadequate response □ Intolerance □ Contraindication
	If immunosuppressive therapy, specify therapy:
	tion M: Immune Checkpoint Inhibitor Toxicity Has the patient experienced an inadequate response to corticosteroids? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy and no further questions. Yes No
63.	Has the patient experienced an intolerance to corticosteroids? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy and no further questions. \square Yes \square No
64.	Does the patient have a contraindication to corticosteroids? ACTION REQUIRED: If 'Yes', please attach documentation of clinical reason to avoid therapy and no further questions. Yes No
65.	Does the patient have cardiac toxicity? Yes No
Sec	tion N: Acute Graft Versus Host Disease
	Has the patient experienced an inadequate response to systemic corticosteroids? ACTION REQUIRED: If 'Yes', please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy and no further questions. Yes No

67.	Does the patient have an intolerance please attach chart notes, medical redications tried, including respons of clinical reason to avoid therapy.	record do use to the	cumentation rapy. If ther	ı, or claims h	history suppo	rting previous	
	ttest that this information is accurd formation is available for review if						
X_ Pre	escriber or Authorized Signature				Date (mm	/dd/yy)	