

## Rituxan, Ruxience, Truxima

## **Prior Authorization Request**

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720**. If you have questions regarding the prior authorization, please contact CVS Caremark at **1-888-877-0518**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do\_not\_call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name:		Date:
Patient's ID:		Patient's Date of Birth:
Physician's Name:		
Specialty:		NPI#:
Physician Office Telephone:		Physician Office Fax:
Referring Provider Info:   Same as Referring	equesting Provi	der
Name:		NPI#:
Fax:		Phone:
Rendering Provider Info: ☐ Same as Ro Name:	_	er 🗆 Same as Requesting Provider NPI#:
Fax:		Phone:
		in accordance with FDA-approved labeling, vidence-based practice guidelines.
Patient Weight:	kg	
Patient Height:	cm	
Please indicate the place of service for the	requested drug	:
$\square$ Ambulatory Surgical		Off Campus Outpatient Hospital
On Campus Outpatient Hospital	<b>□</b> Office	<b>□</b> Pharmacy

	ria Questions:  Vhat is the prescribed product? □ Rituxan □ Ruxience □ Truxima
	What is the diagnosis?
	Oncology
	Moderately to severely active rheumatoid arthritis
	Relapsing-remitting multiple sclerosis (RRMS)
	Granulomatosis with polyangiitis (GPA) (Wegener's granulomatosis)
	Microscopic polyangiitis (MPA)
	Churg-Strauss syndrome
	Pauciimune glomerulonephritis
	Sjögren's syndrome
	I Immune or Idiopathic thrombocytopenic purpura (ITP), refractory
	Autoimmune hemolytic anemia
	Thrombotic thrombocytopenic purpura (TTP)
	Myasthenia gravis, refractory
	Chronic graft versus host disease
	Prevention of Epstein-Barr virus (EBV) related post-transplant lymphoproliferative disorder (PTLD)
	Neuromyelitis optica (Devic disease)
	Autoimmune blistering disease (e.g., pemphigus vulgaris, pemphigus foliaceus, bullous pemphigoid, cicatricial
	emphigoid, epidermolysis bullosa acquisita and paraneoplastic pemphigus)
	1 Cryoglobulinemia
	Solid organ transplant and prevention of antibody mediated rejection in solid organ transplant
	1 Opsoclonus-myoclonus ataxia
	Systemic lupus erythematosus
	Immune Checkpoint Inhibitor-related toxicities
	Pediatric autoimmune neuropsychiatric disorders associated with streptococcal infection (PANDAS)
	Pediatric acute onset neuropsychiatric syndrome (PANS)
Oncol	logy
	Diffuse large B-cell lymphoma (DLBCL), CD20 positive
	High-grade B-cell lymphoma with translocations of MYC and BCL2 and/or BCL6 (double/triple hit lymphoma),
C	D20 positive
	High-grade B-cell lymphoma, not otherwise specified, CD20 positive
	Chronic lymphocytic leukemia (CLL), CD20 positive
	Small lymphocytic lymphoma (SLL), CD20 positive
	Follicular lymphoma, CD20 positive
	Mantle cell lymphoma, CD20 positive
	Marginal zone lymphoma (nodal, splenic or gastric/non-gastric mucosa-associated lymphoid tissue [MALT]
	mphoma), CD20 positive
	Burkitt lymphoma, CD20 positive
	Castleman's disease, CD20 positive
	Acquired immunodeficiency syndrome (AIDS-)-related B-cell lymphoma, CD20 positive
	Primary cutaneous B-cell lymphoma, CD20 positive
	Hairy cell leukemia, CD20 positive
	Post-transplant lymphoproliferative disorder (PTLD), CD 20 positive
	Histological transformation from follicular lymphoma to diffuse large B-cell lymphoma, CD20 positive
	Histological transformation from nodal marginal zone lymphoma to diffuse large B-cell lymphoma, CD20
	ositive
	B-cell lymphoblastic lymphoma, CD20 positive
	Waldenström's macroglobulinemia/lymphoplasmacytic lymphoma (LPL), CD20 positive
	Hodgkin's lymphoma, nodular lymphocyte-predominant, CD20 positive
	Primary central nervous system (CNS) lymphoma, CD20 positive
	Leptomeningeal metastases from lymphomas, CD20 positive
	B-cell acute lymphoblastic leukemia (ALL), CD20 positive
	Other

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720 Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Rituxan, Ruxience, Truxima w/PANDAS SGM - 5/1/2021.

3.	What is the ICD-10 code? If diagnosis is RA, MS, SLE or any oncologic indications, skip to diagnosis section.
4.	Is this a request for continuation of therapy with the requested drug?  ☐ Yes ☐ No If No, skip to diagnosis section.
5.	Is the patient experiencing benefit from therapy? ☐ Yes ☐ No
Cor	nplete the following section(s) based on the patient's diagnosis, if applicable.
	tion A: Rheumatoid Arthritis  Has the patient previously received a biologic DMARD or targeted synthetic DMARD (e.g., Xeljanz) that is indicated for moderately to severely active rheumatoid arthritis? If Yes, skip to #9  Yes  No
7.	Has the patient received two full doses of the requested medication, with the most recent dose being within 6 months of this request? If Yes, skip to #9 ☐ Yes ☐ No
8.	Has the patient experienced an inadequate response after at least 3 months of treatment with the methotrexate dose greater than or equal to 20 mg per week? $\square$ Yes $\square$ No If No, skip to #10
9.	Is the requested drug being prescribed in combination with methotrexate? If Yes, skip to #13 ☐ Yes ☐ No
10.	Has the patient experienced intolerance to methotrexate? If Yes, skip to #12 ☐ Yes ☐ No
11.	Does the patient have a contraindication to methotrexate?
12.	Has the patient experienced an inadequate response with another conventional DMARD (e.g., hydroxychloroquine, leflunomide, sulfasalazine)? $\square$ Yes $\square$ No
13.	Will the requested drug be used with another biologic for the treatment of rheumatoid arthritis? $\ \square$ Yes $\ \square$ No
14.	Is the planned date of administration at least 16 weeks after the date of the last dose received?  ☐ Yes ☐ No ☐ Not applicable - Patient has not received any previous dose
15.	Is this request for continuation of therapy? $\square$ Yes $\square$ No If No, no further questions.
16.	How many doses in total has the patient received since starting treatment with the requested medication?
17.	If two or more doses, has the patient achieved or maintained positive clinical response as evidenced by low disease activity or improvement in signs and symptoms of rheumatoid arthritis since starting treatment with the requested medication? $\square$ Yes $\square$ No
18.	tion B: Multiple Sclerosis  Is the patient taking the requested medication with any other medication used for the treatment of multiple sclerosis other than Ampyra?   Yes  No
19.	Is this a request for continuation of therapy? $\square$ Yes $\square$ No If No, no further questions.
20.	Is the patient experiencing disease stability or improvement while receiving the requested medication? $\square$ Yes $\square$ No
	tion C: Oncologic Indications  Is this a request for continuation of therapy with the requested drug? If Yes, skip to #23  Yes  No
22.	Does the patient have CD20 positive disease that was confirmed by testing or analysis?  ACTION REQUIRED: If Yes, attach results of testing or analysis confirming CD20 protein on the surface of the B-cell.  \Bullet Yes \Bullet No \Bullet Unknown No further questions
23.	Is there evidence of unacceptable toxicity on the current regimen? $\square$ Yes $\square$ No
	tion D: Systemic Lupus Erythematosus  Is the disease refractory to immunosuppressive therapy? ☐ Yes ☐ No  Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Prescriber or Authorized Signature	Date (mm/dd/yy)
x	
I attest that this information is accurate and true, and that information is available for review if requested by CVS Ca	
32. Is the patient refractory to steroids and chemotherapy? □ Ye	es □ No
Section I: Opsoclonus-Myoclonus-Ataxia 31. Is the requested drug being used for opsoclonus-myoclonus at	taxia associated with neuroblastoma?   Yes   N
Section H: Solid Organ Transplant  30. Is the requested drug being used for the prevention of antibod  ☐ Yes ☐ No	y mediated rejection in solid organ transplant?
Section G: Autoimmune Blistering Disease (e.g., Pemphigus Vulg Cicatricial Pemphigoid, Epidermolysis Bullosa Acquisita and Para 29. Is the disease corticosteroid refractory? ☐ Yes ☐ No	
Section F: Neuromyelitis Optica 28. Has at least one other immunotherapy agent been ineffective?	Yes No
Section E: Sjogren's Syndrome or Cryoglobulinemia 27. Have corticosteroids and other immunosuppressive agents ber	en ineffective?
26. Is the patient experiencing benefit from therapy? $\Box$ Yes $\Box$	No
25. Is this a request for continuation of therapy with the requested	drug? ☐ Yes ☐ No If No, no further questions